




INSTALLATION
GUIDE
2019-09

RECESSED SYSTEM

READ CAREFULLY



#12, 5200 Dixie Rd,

Mississauga, ON

Canada L4W 1E4

www.joyolight.ca

sales@joyolight.com



MARNING

Failure to comply with the following installation instructions may result in death or serious injury.

- This product must be installed and serviced by a qualified electrician.
- Separate the power supply wiring (110V) and dimming/control wiring
- Disconnect power before installing to avoid electrical shock
- Do not exceed fixture specified voltage
- Power cable should not support the weight of the fixture and stay loose
- Do not use fixture, parts or connectors which are damaged

! CAUTION

- Should a production received with missing or damaged parts, please contact Joyolight at 1-877-849-1942.
- Should a fixture not work properly, please turn fixture off and contact Joyolight technical support for immediate assistance.
- Handle the fixture with care throughout the installation in case of damaging the fixture.
- Always wear clean latex or cotton gloves to avoid spots or fingerprint marks on the fixture.
- · Unauthorized field repairs will void warranty


terms and conditions.

Contact us for complete


JOYOLIGHT GROUP INC.

1/6


RECESSED SYSTEM OVERVIEW




Use this dimension for drilling holes to install brackets and screws.



Use this dimension to determine the thickness of the dry wall or wood panel.



Accessories




NT6002


Recessed Accessories



Intallation Instructions


Step 1: Install the brackets






! CAUTION

Please drill holes based on dimensions on the left. Otherwise damages might be caused to the fixtures and serious hazard might happen.




Do not try to drill holes or nails through the outermost holes when installing the screws on the bracket.






Step 2: Connect the cable




Step 3: Install the fixture to the wall





Step 4: Install another drywall or wood panel that aligns with the surface of the fixture



Step 5: Complete the installation

